



MORELCO S.A.S.

Carrera 9 No. 115-06 Edificio Tierra Firme, Of. 2601-2602,
Cundinamarca, Bogotá, Colombia.

Ha sido evaluado y cumple con los requisitos de:

ISO 37001:2016

Anti-bribery Management Systems

Alcance: Estudio, Diseño y Desarrollo de Proyectos de: Ingeniería, Procura, Construcción, Montaje, PreComisionamiento, Comisionamiento, Puesta en Marcha, Operación y Mantenimiento; en los sectores de Minería, Energía, Hidrocarburos, Industria, Transporte, Agua, Edificaciones e Infraestructura en General, para evitar actos de Soborno y Conflicto de Intereses.

Nota: Este certificado Multi Sitio está amparado por la Certificación Integral de AENZA.



NÚMERO DE CERTIFICADO
GSC37KPE112

Fecha inicial de registro
Febrero 11, 2020

Fecha de decisión del certificado
Febrero 10, 2023

Periodo de registro
10/FEB/23
09/FEB/26

Esquema de certificación
Multi Sitio / Pág. 11 de 12

Última actualización
Febrero 10, 2023

Executive Director
GlobalSTD Certification



ISO 37001 CERTIFICATE



MORELCO S.A.S.

Carrera 9 No. 115-06 Edificio Tierra Firme, Of. 2601-2602,
Cundinamarca, Bogotá, Colombia.

Has been assessed and complies with the requirements of:

ISO 37001:2016

Anti-bribery Management Systems

Scope: Research, Design and Development of Projects: Engineering, Procurement, Construction, EPC, Assembly, PreCommissioning, Commissioning, Start-Up, Operation and Maintenance; in the sectors of Mining, Energy, Hydrocarbons, Industry, Transportation, Water, Infrastructure and General Building, to avoid acts of Bribery and Conflict of Interest.

Note: This Multi Site certificate is covered by AENZA'S Integral Certification.



CERTIFICATE NUMBER
GSC37KPE112

Initial registration date
February 11, 2020

Date of certification decision
February 10, 2023

Registration period
10/FEB/23
09/FEB/26

Certification scheme
Multi Site / Page 11 of 12

Last update
February 10, 2023

A handwritten signature in black ink, belonging to the Executive Director of GlobalSTD Certification.

Executive Director
GlobalSTD Certification

